FLOOR RANGE LLC

SPC Straight Pattern Catalog



















SPC Click **STRAIGHT PATTERN**



Proof







Realistic in feel

20 YEARS WARRENTY. BEST FLOORING FOR COMMERCIAL AND **RESIDENTIAL USE.**



Anti Insects





DARK WALNUT

Hit refresh with this stunning **Dark walnut DS01** effect flooring. High quality SPC flooring extremely easy to maintain with the 20 years of warrenty

PREMIUM PRODUCT



SPC 100% water proof and also has a warm feel and it's perfectly suited for under floor heating.










Its Scratch Resistant and also has a warm feel and it's perfectly suited for under floor heating.

WASHED OAK

The Washed Oak DS02 creates an inviting atmosphere, thanks to its stylish wood structure and it makes a classic interior like this one even more charming.







DESERT OAK

The shapes and patterns in **Desert Oak DS03** have a great impact on architecture and interior design, patterns emerged by forces of nature and basic mathematics.

PREMIUM PRODUCT

SPC also has a warm feel and it's perfectly suited for under floor heating.



info@floorrange.com





DARK OAK

The Dark Oak DS04 offer full technical and design back up for all our systems so you can be sure that the floor will perform at its best,

PREMIUM PRODUCT

properly designed and one which will provide you with decades of trouble-free service.



info@floorrange.com





The planks convey a sense of style and class that looks outstanding in any room.

SLATE GREY

The Slate Grey DS05 properly designed and one which will provide you with decades of trouble-free service. Natural look with a more natural range of colour and structural variation.



info@floorrange.com





DARK ASH GREY

The Dark Ash Grey DS06 lined and matt structure that provides a soft and sleek look. The light, effect softens the floor's appearance

PREMIUM PRODUCT

The natural look and earthy shades of these floors bring a truly authentic style to your home.



info@floorrange.com





DESERT SAND

The Desert Sand DS07 attractively balanced wood lines have a tactile surface structure to give the floor more depth. real eye-catcher with its interplaying lines.

PREMIUM PRODUCT

Grooves create attractive contrasts and enhance the weathered character of the floor.







Easy to clean, Maintaining, Affordable, Scratch resistance, water proof and kid resistant as well

NUTMEG

The Nutmeg DS08 offer a solid foundation for a playful, contemporary mix of designs. Their durable surface layer ensures a long life while your interior continues to evolve.



info@floorrange.com





OAK SUN

The Oak Sun DS09 with its durability and realistic wood like top surface. Best choice for modern style homes

PREMIUM PRODUCT

SPC also has a warm feel and it's perfectly suited for under floor heating.



info@floorrange.com





GREY PEPPER

The Grey Pepper DS10 creates an inviting atmosphere thanks to its stylish wood structure and it makes a classic interior like this one even more charming.

PREMIUM PRODUCT

Accidents can happen, SPC Floor is anti slippery. It can save you and your kids from accidents.



info@floorrange.com





ASH STREAM

The Ash Stream DS 11 have saw cuts and cracks to create a distinctive looks. with the huge upsurge in today's trend of grey and silver flooring

PREMIUM PRODUCT

SPC Floor in completely water and child proof. Stains can be removed easily



info@floorrange.com





ROSEWOOD

The Rosewood DS12 with deep wood grain surface. Extremely appealing warmth and exceptional durability. Rosewood exudes luxury and modernity.

PREMIUM PRODUCT

SPC Flooring and wall skirting both creates best interior looks



info@floorrange.com





BURNT SPRUCE

The Burnt Spruce SS01 with its 20 years warranty, it is more than a floor coveringit is a fashion statement and maintenance free lifestyle choice.

PREMIUM PRODUCT

SPC Floor Can be cleaned with with normal dry mop & Due to click system installation, damage part can be replaces easily.



info@floorrange.com





OLIVE OAK

The Olive Oak SS02, you want your home or office space to have a tranquil effect, the soothing colour tone, Select Olive oak.

PREMIUM PRODUCT

SPC also has a warm feel and it's perfectly suited for under floor heating.



info@floorrange.com





Light coloured, SPC floors also give you the visual illusion of more open space and light

MIST OAK

The Mist Oak SS03, Square edging allows these individual tiles to fit perfectly without any grooves and help you create that seamlessly smooth surface and give your space a sleek and sophisticated look.



info@floorrange.com





Protect furniture and chair legs with strong felt caps. Avoid bringing dirt, water and sand indoors by providing a suitable door mat at the door

OYESTER GREY

The Oyester Grey, The random natural material, from which our designs are taken, means that significant colour and design variation is normal and indeed enhances the natural look of our product.



info@floorrange.com





WASHED GREY

The Washed Grey SS05, creamy light floor goes with pretty much any style of décor and brings a calming effects into your space.

PREMIUM PRODUCT

Inspect all planks in sufficient light before and during installation. Planks with visible defects must never be used.







TWILIGHT GREY

The Twilight grey SS06, Neutral shades of flooring will never go out of style given its versatility, contributes to healthier indoor air quality

PREMIUM PRODUCT

The Floor should preferably be installed parallel to how the light enters the room (visually more attractive)



info@floorrange.com





For any spillages, remove with a dry cloth or mop immediately.

DRIFTWOOD GREY

The Driftwood grey SS07, seamlessly smooth surface and give your space a sleek and sophisticated look. Offers a more neutral palette that can be used to off set intense furnishings.



info@floorrange.com





SMOKED OAK

The Smoked Oak SS08, beautifully accentuate the undertones, complements any predominant themes in your home or office space

PREMIUM PRODUCT

SPC also has a warm feel and it's perfectly suited for under floor heating.



info@floorrange.com





Getting the right accessories for your floor will ensure you get the perfect finish every time. It is easy to get confused, so make sure you get the right accessory for your needs.

NATURAL OAK

The Natural Oak SS09, is and exact replica of white-washed European Oak, brings a warm neutral tone with the added benefit of ease of maintenance to enhance and add value to any interior.



info@floorrange.com





Investing in accessories for any SPC flooring add finishing touch to your floor, it looks great and provide extra protection.

RECLAIMED GREY

The Reclaimed Grey SS10, With a modern grey overtone is a floor that everyone admires and talks about. that not only looks great but will stand up to decades of wear and tear.







LIME OAK

The Desert Sand creates an inviting atmosphere thanks to its stylish wood structure and it makes a classic interior like this one even more charming.

PREMIUM PRODUCT

SPC also has a warm feel and it's perfectly suited for under floor heating.



info@floorrange.com





With the dense core, This plank trends to have a quieter sound. You will not hear a hollow sound when you walk on SPC vinyl Flooring

MONOLITH GREY

The Monolith Grey SS12, Get an oak timber effects in soothing cool grey tones, without ever worrying about spills and scrapes.



info@floorrange.com

Technical Data sheet

	TECHNICAL [DATA						
Description:	SPC FLOORING							
Physical Properties	(Rigid Stone-PVC-Composite vinyl plank)							
Construction:	4.0mm SPC core (Limestone + Virgin PVC composite, not contain plasticizer)							
	2100 kgs/m3 density							
Plank size:	1220x180x4.0mm							
Wear-layer:	0.3mm (12mil)							
Finish:	Deep embossed texture							
Gloss Level	6%-7%							
Profile:	Valinge 2G click locking system							
Edge:	Micro-bevel							
Packaging:	2.6352m2 / carton, 1	2 planks p	er carton, 22.1kgs/carton					
Detailed Technical Data:								
Properties	Test Method	Unit	Test Result		Remarks			
Dimensional stability (Expansion or shrinking)	BS EN ISO 23999:2012	%	Manufacturing direction	0.06	Heating temperature: 80°C Heating time: 6h			
			Across-manufacturing direction	0.04				
Curling after exposure to heat	1	mm	0					
Peel Resistance (top layer)	BS EN ISO 24345:2012	N/50mm	Machine direction	85N/50m m	0.0			
			Across machine	80N/50m m	Loading rate: 100mm/mi			
Residual indentation	EN ISO 24343-1:2012	mm	0.05		Pass			
Staining and resistance to chemicial	EN ISO 26987:2012	1	Not affected		Pass			
Wear resistance (0.3mm/12mil)	EN 660-2:1999 +A1:2003 and	1	Wear group: T		Pass			
Color fastness to light	EN ISO 105-B02:2014	1	Grade (Bluewood Std) 6		Meets requirement			
Effect of a castor chair	EN 425:2002	1	No visible damage		Pass			
Slip resistance	DIN 51130:2014-02	1	Critical angle of inclination: 12.0	R11	Pass			
RoHS Directive 2011/65/EU	IEC 62321		Not Detected		Pass			
Phthalates test (DRP BRP	COMPANY AND AND AN ANY ANY ANY ANY ANY ANY ANY ANY ANY	-	1 05 762967 - 65 757		1880 05 TAL 19945			

RoHS Directive 2011/65/EU	IEC 62321	321 Not Detected		Pass		
Phthalates test (DBP, BBP, DEHP, DINP, DNOP, DIDP, DnHP)	EN14372:2004		Not Detected		Meets requirement	
REACH	Regulation (EC) No 1907/2016 REACH	%	According to the specified scope and evaluation screening, the test results of SVHC are less than 0.1%(w/w)		169 Substances of Very High Concern(SVHC) for authorization by European Chemicals were Not Detected.	
Fire-resistant rate = Bfl-S1	EN ISO 9239-1	1	Critical flux (kW/m2)	>11		
			Smoke (%xminutes)	160	Result: Bfl-S1	
	EN ISO 11925-2 Expsure = 15s	1	Fs < 150 mm	YES		
VOC (Floorscore)	CDPH/EHLB/Standard Method V1.2	1	35 types of chemicals		Pass	